

Dell Standard Capacity Magenta Toner Cartridge

Section 1 - Product and Company Identification

Laser Printer Family: Dell C3765dnf Multifunction Color Laser Dell C3760dn Color Laser Printer Dell C3760n Color Laser Printer

Product Description: Dell Standard Capacity Magenta Toner Cartridge

Information: 1-800-W W W-DELL

Emergency: 1-800-551-8553

Manufacturer: Dell Inc. One Dell Way Round Rock, TX, USA 78682

Prepared By: Product Environmental Programs

Section 2 - Composition / Information on Ingredients

Chemical Nature:

| Chemical Name | Ingredients (% by wt.) | CAS Registry Number |
|------------------|------------------------|---------------------|
| Polyester | 70 – 90 | _ |
| Amorphous silica | <10 | 7631-86-9 |
| Red pigment | <10 | _ |
| Paraffin Wax | <10 | 8002-74-2 |
| Titanium dioxide | <1 | 13463-67-7 |

UN Hazard Class : None

UN Number : None

Section 3 - HAZARDOUS IDENTIFICATION

Physical and Chemical Hazard: There are no significant hazards associated with this product. Adverse Human Health Effects: There are no significant hazards associated with this product. Environmental Effects: There are no significant hazards associated with this product.

Section 4 - FIRST-AID MEASURES

| Eye contact | : Flush with a large amount of water for at least 15 minutes. Seek medical advice. |
|--------------|---|
| Skin contact | : Wash with soap and water. |
| Inhalation | : Remove from exposure and provide fresh air. Rinse mouth with water. |
| Ingestion | : Rinse mouth with water. Give several glasses of water to drink and seek medical advice. |

Section 5 - FIRE-FIGHTING MEASURES

| Specified method | : | In case of fire use extinguishing media. |
|------------------|---|---|
| - | | When in a machine, treat as an electrical fire. |
| | | |

Extingishing media : Water spray, Foam, Dry chemicals, CO₂

Section 6 - ACCIDENTAL RELEASE MEASURES



Shut off ignition sources. For small spills, sweep up or soak up with damp cloth. For large spills, wear proper protective equipment and collect them in closed container. Dispose off in accordance with federal, state and local regulations.

Section 7 - HANDLING AND STORAGE

Handling : Do not incinerate toner or a toner cartridge. Do not dissemble a cartridge.

Storage : Keep in cool, dry and well-ventilated area. Keep out of reach of children.

Section 8 - EXPOSURE CONTROL /PERSONAL PROTECTION

| Control Parameter ACGIH TLV (2014) | : | 10 mg/m ³ 3 mg/m ³ | (Total) (Respirable) |
|---------------------------------------|-----------|--|--|
| Precautionary Mesured | : bulk | For use other t toner | when used as intended in Dell equipment. han normal customer operating procedures(such as in lities), local exhaust ventilation may be required. |
| Personal Protective Equipment | bulk | None required when used as intended in Dell equipment. For use other than normal customer operating procedures(such as in k toner processing facilities), protective glove, goggles and respirators may be juired. | |

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

| Appearance/Odor: Boiling Point(OC): | Red Powder / Faint Odor | Vapar Brazoura: | Not oppliaable |
|--|-------------------------|------------------------|----------------|
| Boiling Point(OC). | Not applicable | Vaper Pressure: | Not applicable |
| Volatile (%): | Not applicable | Softening Point: | Not applicable |
| Specific Gravity(H ₂ O=1): | Not applicable | Initial Boiling Point: | Not applicable |
| Solubility in water: | Negligible | Other Data: | None |

Section 10 - STABILITY AND REACTIVITY

| Flash Point(OC) | :Not applicable | Auto-Ignition Temperature:Not applicable | |
|--|--|--|--|
| Explosion Limit | :Not applicable | | |
| Flammability | :Not flammable under condition | ons of use | |
| Spontaneous Combustibility / Reactivity with water | | :None | |
| Self-reactivity / Explosive | | :None | |
| Dust Explosive | : Like most organic materials in powder form, it can form explosive mixtures when dispersed in air. | | |
| Stability and Reactivity | y :Stable | | |
| Other Data | :None | | |

Section 11 - TOXICOLOGICAL INFORMATION

Skin Corrosive: Not a corrosive %1Skin Irritant (rabbit): Not an irritant %1



Eye Irritant (rabbit) : Not an irritant X1 Skin Sensitization (guinea-pig) Swallowed→LD50 (rat) : > 2000 mg/kg ×1 Acute Toxicity Skin→LD50 (rabbit)

: Not a sensitizer X1 (practically non-toxic)

: Not available

Inhaled→LC50 (rat)

: >2.04mg/L/4hr1 ×1 ×2 (practically non-toxic)

: The results obtained from a supplyer sponsored, Chronic Toner Inhalation Study, Chronic Toxicity demonstrated no lung change in rats for the lowest (1mg/m3) exposure level (i.e. the level most relevant to potential human exposure). A very slight degree of fibrosis was noted in 25% of the animals at the middle (4mg/m3) exposure level, while a slight degree of fibrosis was noted in all the animals at the highest (16 mg/m3) exposure level. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special test toner to comply with EPA testing protocol. The test toner was ten times more respirable than commercially available supplyer toner, and would not be functionally suitable for Dell equipment.^{*1}

: Titanium dioxide is classified as Group 2B by IARC.In animal chronic inhalation study, rats Carcinogenicity only showed the incidence of lung tumors which is attributed to excessive burden on rat lung clearance mechanism (overloading). It is assumed that a designated use of this product should not cause such excessive burden on lung clearance mechanism. Epidemiological studies provide no clear evidence of elevated risks of lung tumors mortality or morbidity among the workers exposed to TiO2 dust.

All other ingredients are not classified as "Carcinogens ref.1".

Mutagenicity: Ames Assay : Negative

: Not classified as "Reproductive and Development chemicals ref.2" Reproduction and Development

×1 This information is based on toxicity data for similar materials and ingredients.

*2 These results were obtained under the technically-feasible maximun dust concentration.

Section 12 - ECOLOGICAL INFORMATION

Biodegradability : Not available

Bioaccumulation : Not available

Acute Toxicity : Fish 96hr LC50 (Oryzias latipes): >500mg/L%1 (practically non-toxic) Daphnia 48hr EC50 (Daphnia magna): >100mg/L%1 (practically non-toxic) Algae 72hr EC50 (Selenastrum capricornutum): >100mg/L%1 (practically non-toxic)

Other Information : None

※1 This information is based on toxicity data for similar materials and ingredients.

Section 13 - DISPOSAL CONSIDERATION

Dispose off in accordance with national and local regulations.

Section 14 - TRANSPORT INFORMATION

Transport in accordance with national, and local regulations.

DOT Status : Not classified as a hazardous material or substance under US DOT. International Shipping : ADR/RID/IMDG/IATA Classes:not regulated.

Section 15 - REGULATORY INFORMATION

Ensure this product in compliance with national requirements and ensure conformity to local regulations.

Section 16 - OTHER INFORMATION

The above mentioned data correspond to our present state of knowledge and experience, but no warranty is made. Users should consider these data only as a supplement to other information and must make independent determination of the suitability and completeness of information from all sources to ensure proper use and disposal of the materials and safety and health of employees and customers.

CAS Registry Number(R) is a Registered Trademark of the American Chemical Society.

References

Material Safety Data Sheet 2GYKF



- 1: IARC Monographs on the Evaluation Carcinogenic Risks to Humans (WHO.International Agency for Rsearch
 - on Cancer)
 - National Toxicology Program(NTP) Report on Carcinogens (NTP)
 - TLVs and BEIs (American Conference of Governmental Industrial Hygienists)
 - Council Directive 67/548/EEC on the approximation of the laws, regulations, and administratives provision s relating to the classification, packing and labelling of dangerous substaces; Annex 1 (EU)
 - Journal of Occupational Health(Japan Society for Occupational Heatth)
- 2: Council Directive 67/548/EEC on the approximation of the laws, regulations, and administratives provisions relating to the classification, packing and labelling of dangerous substaces; Annex 1 (EU)