

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or C4872Series

designation of the mixture

Registration number

Synonyms None.

Issue date 28-Jun-2013

Version number 05

Revision date 22-Sep-2016 Supersedes date 20-May-2016

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Inkjet printing Uses advised against None known. **Company identification** HP Inc UK Limited

Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03)

Bracknell, United Kingdom RG12 1HN Telephone 44 (0) 879 013 0790

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Inc. Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Serious eye damage/eye irritation Category 1 H318 - Causes serious eye damage.

Environmental hazards

Hazardous to the aquatic environment, H412 - Harmful to aquatic life with Category 3

long-term aquatic hazard long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 1,5-pentanediol, 2-pyrrolidone, C11-C15 secondary ethoxylated alcohols, Direct Blue 199

Tetramethylammonium Salt, Succinic acid, Water

Hazard pictograms

Signal word Danger

Hazard statements

Causes serious eye damage. H318

Harmful to aquatic life with long lasting effects. H412

Precautionary statements

Prevention P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P273 - Avoid release to the environment.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove Response

contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor/physician.

Storage Not available.

Material name: C4872Series SDS UK

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label

information

None.

2.3. Other hazards Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and

ingestion are not expected to be significant routes of exposure for this product under normal use

conditions. Complete toxicity data are not available for this specific formulation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No. Note
Water	60-70	7732-18-5 231-791-2	-	-
Classification:	-			
1,5-pentanediol	<10	111-29-5 203-854-4	01-2119449341-44-XXXX	-
Classification:	-			
2-pyrrolidone	<10	616-45-5 210-483-1	01-2119475471-37-XXXX	-
Classification:	Eye Irrit. 2;H319			
Succinic acid	<7.5	110-15-6	01-2119896114-34-XXXX	-
Classification:	Eye Dam. 1;H318			
C11-C15 secondary ethoxalcohols	xylated <2.5	68131-40-8 -	-	-
Classification:	Acute Tox. 4;H302, Acu	ite Tox. 4;H312, Ski	n Irrit. 2;H315, Eye Dam. 1;H3:	18, Aquatic Chronic 2;H4
Direct Blue 199 Tetramethylammonium S	<2.5	Not available -	01-0000016309-68-XXXX	-
Classification:	Acute Tox. 4;H302, STO	OT RE 2;H373, Aqua	tic Chronic 2;H411	

SECTION 4: First aid measures

Composition comments

General information Not available.

4.1. Description of first aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

This ink supply contains an aqueous ink formulation.

attention.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

4.2. Most important symptoms and effects, both

acute and delayed

4.3. Indication of any immediate medical attention and special treatment

Not available.

Not available.

needed

Material name: C4872Series SDS UK

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

media

CO2, water, dry chemical, or foam

Unsuitable extinguishing

media

mixture

None known.

5.2. Special hazards arising from the substance or

Not available.

5.3. Advice for firefighters

Special protective equipment for firefighters

Not available.

Special fire fighting

procedures

Not available.

Specific methods None established.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders

Not available.

6.2. Environmental

precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

6.4. Reference to other

sections

Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No exposure limits noted for ingredient(s). **Occupational exposure limits**

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Not available.

Derived no-effect level (DNEL)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term
		Dermal	167 mg/kg bw/d	Systemic acute short term
		Inhalation	17.1 mg/m3	Systemic long term
		Oral	5.2 mg/kg bw/d	Systemic long term
		Oral	33.3 mg/kg bw/d	Systemic acute short term
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short term
		Dermal	10 mg/kg bw/d	Systemic long term
		Inhalation	57.8 mg/m3	Systemic long term
Succinic acid (CAS 110-15-6)	Consumers	Dermal	67 mg/kg	Systemic short term
		Dermal	43 mg/kg	Systemic long term
		Inhalation	10 mg/m3	Local long term
		Inhalation	10 mg/m3	Local short term
		Inhalation	10 mg/m3	Systemic long term

Material name: C4872Series SDS UK

Components	Туре	Route	Value	Form
		Inhalation	10 mg/m3	Systemic short term
		Oral	67 mg/kg	Systemic short term
	Workers	Dermal	71 mg/kg	Systemic long term
		Dermal	67 mg/kg	Systemic short term
		Inhalation	10 mg/m3	Local long term
		Inhalation	10 mg/m3	Local short term
		Inhalation	10 mg/m3	Systemic long term
		Inhalation	10 mg/m3	Systemic short term
dicted no effect concentration	ns (PNECs)			
Components	Type	Route	Value	Form

Туре	Route	Value	Form
Not applicable	Freshwater	0.5 mg/l	
	Intermittant	0.5 mg/l	Releases
	Marine water	0.05 mg/l	
	Sediment	0.4205 mg/kg	Freshwater
	Soil	0.0612 mg/kg	
	STP	10 mg/l	Sewage Treatment Plant
Not applicable	Freshwater	0.1 mg/l	
	Intermittant	1 mg/l	Releases
	Marine water	0.01 mg/l	
	Sediment	0.079 mg/kg	Freshwater
	Sediment	0.0079 mg/kg	Marine water
	Soil	0.0177 mg/kg	
	STP	3 mg/l	Sewage Treatment Plant
	Not applicable	Not applicable Freshwater Intermittant Marine water Sediment Soil STP Not applicable Freshwater Intermittant Marine water Sediment Sediment Sediment Soil	Not applicable Freshwater 0.5 mg/l Intermittant 0.5 mg/l Marine water 0.05 mg/l Sediment 0.4205 mg/kg Soil 0.0612 mg/kg STP 10 mg/l Intermittant 1 mg/l Marine water 0.01 mg/l Sediment 0.01 mg/l Sediment 0.079 mg/kg Sediment 0.0079 mg/kg Soil 0.0177 mg/kg

Exposure guidelines Exposure limits have not been established for this product.

8.2. Exposure controls

Appropriate engineering Use in a well ventilated area. Provide adequate ventilation. controls

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment to minimize exposure to skin and eye.

Eye/face protection Not available.

Skin protection

- Hand protection Recommended gloves: Nitrile 4 mil minimum thickness. - Other Protected gloves not required under intended use.

Respiratory protection Not available. Thermal hazards Not available.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure

controls

Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid. Color Cyan

Odor Not available. **Odor threshold** Not available. 3.8 - 4.3 Not available. Melting point/freezing point Initial boiling point and Not determined

boiling range

> 230.0 °F (> 110.0 °C) Pensky-Martens Closed Cup Flash point

Evaporation rate Not determined Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not determined

(%)

Material name: C4872Series 4/8

Flammability limit -

upper (%)

Not available.

Vapor pressure

Not determined

Solubility(ies)

Solubility (water)Soluble in waterSolubility (other)Not available.Partition coefficientNot available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity>= 2 cpExplosive propertiesNot available.Oxidizing propertiesNot determined

9.2. Other information

VOC (Weight %) < 221 g/l Estimated

SECTION 10: Stability and reactivity

10.1. Reactivity Not available.

10.2. Chemical stability Stable under recommended storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Not available.

10.5. Incompatible materials Incompatible with strong bases and oxidizing agents.

10.6. HazardousUpon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

decomposition products dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

General information Not available.

11.1. Information on toxicological effects

Acute toxicityBased on available data, the classification criteria are not met. **Skin corrosion/irritation**Based on available data, the classification criteria are not met.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory sensitization
Skin sensitization
Based on available data, the classification criteria are not met.
Germ cell mutagenicity
Based on available data, the classification criteria are not met.
Carcinogenicity
Based on available data, the classification criteria are not met.
Reproductive toxicity
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

Specific target organ toxicity

- single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity

- repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Components Species Test Results

2-pyrrolidone (CAS 616-45-5)

Acute

Oral

LD50 Guinea pig 6500 mg/kg

Rat 6500 mg/kg

Succinic acid (CAS 110-15-6)

Acute

Oral

LD50 Rat 2260 mg/kg

Mixture versus substance

information

Not available.

Material name: C4872Series SDS UK

Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

SECTION 12: Ecological information

Aquatic toxicity Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Static acute toxicity (trout), survival (100 mg/L) = 90%Static acute toxicity (trout), survival (10 mg/L) = 100%

12.1. Toxicity

Product		Species	Test Results
C4872Series			
Aquatic			
<i>Acute</i>			
Algae	EC50	Algae	> 100 mg/l, 72 hours
Crustacea	EC50	Daphnia	> 66 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	< 400 mg/l, 96 hours
Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
Direct Blue 199 Tetramethylammo	onium Salt (CAS	Not available)	
Aquatic			
Crustacea	EC50	Daphnia	50 - 100 mg/l, 48 Hours
Succinic acid (CAS 110-15-6)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	350 - 400 mg/l, 48 hours
Fish	LC50	Fish	101, 96 Hours
12.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	Not available.		
Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Succinic acid		-0.85 -0.59	
Bioconcentration factor (BCF)	Not available.		
12.4. Mobility in soil	Not available.		
12.5. Results of PBT and vPvB assessment	Not a PBT or v	vPvB substance or mixture.	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

12.6. Other adverse effects

Residual waste Not available.
Contaminated packaging Not available.
EU waste code Not available.

Disposal Do not allow this material to drain into sewers/water supplies.

methods/information Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Not available.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is

available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

Material name: C4872Series SDS UK

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not regulated.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances Not regulated.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Not regulated.

Directive 94/33/EC on the protection of young people at work

Not regulated.

Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Material name: C4872Series SDS UK

Other information

This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification

according to Regulation (EC) No 1272/2008 as amended.

Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).

National regulations

Not available.

15.2. Chemical safety

assessment

See attached SUMI or GEIS document, if applicable.

SECTION 16: Other information

References Not available. Information on evaluation Not available.

method leading to the classification of mixture

28-Jun-2013 Issue date

Revision information SECTION 15: Regulatory information: Other information

Training information Not available.

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

Manufacturer information HP Inc.

1501 Page Mill Road

Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

List of abbreviations Not available.

Material name: C4872Series SDS UK

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures.
	Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides
	guidelines to ensure acceptable air quality in the workspace.
	Avoid direct contact.
	Regular cleaning of equipment and work area.
	Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.

related to Personal Protection Equipment, hygiene and health evaluation

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

In case of inadequate ventilation wear respiratory protection.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.









Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store at room temperature.





Environmental measures

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

Most of the water based inks are "not classified".

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.